



CE Declaration of Conformity and Marking

Kendall Bros. (Portsmouth) Ltd, Kendall's Wharf, Eastern Rd, Portsmouth PO3 5LY

14

Certificate Number: 12620-CPD-031

BS EN 12620:2002+A1:2008

KENDALLS WHARF (PORTSMOUTH)

10/20mm Single Sized G<sub>c</sub> 80/20 BS EN 12620  
Product Code: **37**

Particle Shape	Fl <sub>35</sub>
Particle Size	10/20 G <sub>c</sub> 80/20
Particle Density	2.62 Mg/m <sup>3</sup>
Fines Content	F <sub>1.5</sub>
Fines Quality	NPD
Shell Content	SC <sub>10</sub>
Resistance to Fragmentation/Crushing	LA <sub>40</sub>
Resistance to Polishing	NPD
Resistance to Abrasion	NPD
Resistance to Wear	NPD
Chlorides	<0.040%
Acid Soluble Sulphates	AS <sub>0.2</sub>
Total Sulphur	NPD
Constituents which Alter the Rate of Setting and Hardening of Concrete Carbonate	NPD
Content Drying Shrinkage	<0.075%
Constituents which Affect the Volume Stability of Air-cooled Blast Furnace Slag	NPD
Water Absorption	1.5%
Emission of Radioactivity	NPD
Release of Heavy Metals	NPD
Release of Polyaromatic Carbons	NPD
Release of Other Dangerous Substances	NPD
Durability against Freeze/Thaw	NPD
Durability against Alkali-Silica Reactivity	NPD

**Declaration of Conformity**

**Kendall Bros.(Portsmouth) confirms that the Aggregate referred to in this CE certificate complies with the requirements of BS EN 12620:2002+a1:2008.**

**Authorised by**

**Kendalls Technical Department**

Valid from:

01.11.2014

Status:

Valid

Date of Issue:

01.11.2014