



CE Declaration of Conformity and Marking

Kendall Bros. (Portsmouth) Ltd, Kendall's Wharf, Eastern Rd, Portsmouth PO3 5LY

14

Certificate Number: 13242-CPD-035

BS EN 13242:2002+A1:2007

KENDALLS WHARF (PORTSMOUTH)

10/20mm Single Sized G<sub>c</sub>80/20 BS EN 13242  
Product Code: **37**

Particle Shape	Fl <sub>35</sub>
Particle Size	10/20 G <sub>c</sub> 80/20
Particle Density	2.62 Mg/m <sup>3</sup>
Fines Content	f <sub>1.5</sub>
Fines Quality	NPD
Shell Content	SC <sub>10</sub>
Resistance to Fragmentation/Crushing	LA <sub>40</sub>
Resistance to Polishing	NPD
Resistance to Abrasion	NPD
Resistance to Wear	NPD
Chlorides	<0,040%
Acid Soluble Sulphates	AS <sub>0.2</sub>
Total Sulphur	NPD
Constituents which Alter the Rate of Setting and Hardening of Concrete Carbonate	NPD
Content Drying Shrinkage	<0,075%
Constituents which Affect the Volume Stability of Air-cooled Blast Furnace Slag	NPD
Water Absorption	1.5%
Emission of Radioactivity	NPD
Release of Heavy Metals	NPD
Release of Polyaromatic Carbons	NPD
Release of Other Dangerous Substances	NPD
Durability against Freeze/Thaw	NPD
Durability against Alkali-Silica Reactivity	NPD

<b>Declaration of Conformity</b>	<b>Kendall Bros.(Portsmouth) confirms that the Aggregate referred to in this CE certificate complies with the requirements of BS EN 13242:2002+A1:2007.</b>
----------------------------------	---

<b>Authorised by</b>	<b>Kendall's Technical Department</b>
----------------------	---------------------------------------

Valid from:	01.11.2014
Status:	Valid
Date of Issue:	01.11.2014