



CE Declaration of Conformity and Marking

Kendall Bros. (Portsmouth) Ltd, New Wharf, Brighton Road, Shoreham by Sea, BN43 6RE

14

Certificate Number: 13242-CPD-042

BS EN 13242:2002+A1:2007

KENDALLS NEW WHARF (SHOREHAM)

10/20mm Single Sized G_c80/20 13242
Product Code: **37**

Particle Shape	Fl ₃₅
Particle Size	10/20 G _F 80/20
Particle Density	2.61 Mg/m ³
Fines Content	f _{1.5}
Fines Quality	NPD
Shell Content	SC ₁₀
Resistance to Fragmentation/Crushing	LA ₄₀
Resistance to Polishing	NPD
Resistance to Abrasion	NPD
Resistance to Wear	NPD
Chlorides	<0,040%
Acid Soluble Sulphates	AS _{0.2}
Total Sulphur	NPD
Constituents which Alter the Rate of Setting and Hardening of Concrete Carbonate	NPD
Content Drying Shrinkage	<0.075%
Constituents which Affect the Volume Stability of Air-cooled Blast Furnace Slag	NPD
Water Absorption	1.68%
Emission of Radioactivity	NPD
Release of Heavy Metals	NPD
Release of Polyaromatic Carbons	NPD
Release of Other Dangerous Substances	NPD
Durability against Freeze/Thaw	NPD
Durability against Alkali-Silica Reactivity	NPD

Declaration of Conformity	Kendall Bros.(Portsmouth) confirms that the Aggregate referred to in this CE certificate complies with the requirements of BS EN 13242:2002+A1:2007.
Authorised by	Kendall's Technical Department
Valid from:	01.11.2014
Status:	Valid
Date of Issue:	01.11.2014