



CE Declaration of Conformity and Marking

Kendall Bros. (Portsmouth) Ltd, Kendall's Wharf, Eastern Rd, Portsmouth PO3 5LY

14

Certificate Number: 13242-CPD-036

BS EN 13242:2002+A1:2007

KENDALLS WHARF (PORTSMOUTH)

20/40mm Single Sized G_c80/20 BS EN 13242
Product Code: **41**

Particle Shape	Fl ₃₅
Particle Size	20/40 G _c 80/20
Particle Density	NPD
Fines Content	NPD
Fines Quality	f _{1.5}
Shell Content	NPD
Resistance to Fragmentation/Crushing	SC ₁₀
Resistance to Polishing	LA ₄₀
Resistance to Abrasion	NPD
Resistance to Wear	NPD
Chlorides	NPD
Acid Soluble Sulphates	<0.040%
Total Sulphur	AS _{0.2}
Constituents which Alter the Rate of Setting and Hardening of Concrete Carbonate	NPD
Content Drying Shrinkage	<0,075%
Constituents which Affect the Volume Stability of Air-cooled Blast Furnace Slag	NPD
Water Absorption	NPD
Emission of Radioactivity	NPD
Release of Heavy Metals	NPD
Release of Polyaromatic Carbons	NPD
Release of Other Dangerous Substances	NPD
Durability against Freeze/Thaw	NPD
Durability against Alkali-Silica Reactivity	NPD

Declaration of Conformity	Kendall Bros.(Portsmouth) confirms that the Aggregate referred to in this CE certificate complies with the requirements of BS EN 13242:2002+A1:2007.
----------------------------------	---

Authorised by	Kendall's Technical Department
----------------------	---------------------------------------

Valid from:	01.11.2014
Status:	Valid
Date of Issue:	01.11.2014